

## TEP Host Centre Application Form

<b>Contact Name</b>	Assoc. Prof. Dr. Özlem Selvi Can
<b>Hospital Name</b>	Ankara University Medical Faculty Hospitals
<b>Department</b>	Ankara University Medical Faculty Department of Anesthesiology and Reanimation
<b>Hospital Address</b>	Ankara University Ibni Sina Hospital
<b>City / ZIP Code</b>	06100, Ankara
<b>Country</b>	Turkey
<b>Phone</b>	00 90 312 508 23 93
<b>Email</b>	<a href="mailto:ozlemscan@gmail.com">ozlemscan@gmail.com</a> , <a href="mailto:alkisneslihan@gmail.com">alkisneslihan@gmail.com</a>
<b>Supervisor</b>	Assoc. Prof. Ozlem Selvi Can, Prof. Dr. Neslihan Alkış

### **Clinical Interests:**

Pediatric anesthesia (pediatric surgery, pediatric urology, pediatric cardiovascular surgery, pediatric neurosurgery, heart and liver transplantation, ECMO and LVAD in pediatric patients, sedation or anesthesia for MR, cardiac lab)

Anesthesia for neurosurgery (cranial and vertebral surgery, interventional neurosurgery, advanced neuromonitoring)

Anesthesia for cardiovascular surgery (open&minimal invasive cardiac surgery, major vascular surgery, heart transplantation, ECMO and LVAD interventions in adults, intraoperative TEE evaluation is performed by anesthesia team)

Anesthesia for orthopedic surgery (general and regional anesthesia for trauma, arthroplasty patients, periferic regional anesthesia by usg guidance, geriatric anesthesia)

Anesthesia for general surgery&surgical oncology (general and regional anesthesia for major abdominal and oncological surgeries, ERAS protocol implantation in colorectal surgery, anesthesia for HIPEC patients)

Intensive Care Unit (28 bed third level medical and surgical ICU )

Algology department (pain policlinic, interventional pain therapy in OR including interventions performed with fluoroscopy and RF)

\*Trainees will be able to perform some procedures under supervision of responsible attending

### **Lab Interests :**

Click here to enter text.

**Department Profile:**

Departments profile is detailed in a other attached with the file named the structure of the center

**Sample Publication:**

Department publication list (2016-current) has been attached to this form.(see final pages)

**Exchange programme duration:**

1 Month    2 Months     3 Months

Specific Months Preferred: JanFebMarApr MayJunJulAugSepOctNovDec

**Preferred level of seniority:**

Junior     Some Experience    Very Experienced

**Language requirements of an attending trainee:**

English

**Specific legal or other requirements of an attending trainee:**

Attending trainees must document their experience in anesthesiology and curriculum vitae to the department

**Is accommodation available for an attending trainee?** (Please provide details)

Ankara University has a guest house, Attending trainee can be accommodated with a reasonable price with 10 minutes distance by bus or metro with two hospitals of the universty

**Please mail this application form with a cover letter to:**

TEP Coordinator

[tep@esahq.org](mailto:tep@esahq.org)

**ANKARA UNIVERSITY DEPARTMENT OF ANESTHESIOLOGY AND ICU  
INTERNATIONAL PUBLICATION LIST FOR 2016-CURRENT**

A comparison of two different doses of morphine added to spinal bupivacaine for inguinal hernia repair].

Meco BC, Bermede O, Vural C, Cakmak A, Alanoglu Z, Alkis N.

Rev Bras Anesthesiol. 2016 Mar-Apr;66(2):140-4.

Challenges of obstetric anesthesia: difficult laryngeal visualization.

Alanoğlu Z, Erkoç SK, Güçlü ÇY, Meço BC, Baytaş V, Can ÖS, Alkiş N.

Acta Clin Croat. 2016 Mar;55 Suppl 1:68-72. Review

Ozcelik M, Guclu C, Bermede O, Baytas V, Altay N, Karahan MA, Erdogan B, Can OS.

The administration sequence of propofol and remifentanyl does not affect the ED50 and ED95 of rocuronium in rapid sequence induction of anesthesia: a double blind randomized controlled trial.

European Review for Medical and Pharmacological Sciences, 2016;20: 1479-89.

The airway device preference may affect the overlapping of the common carotid artery by the internal jugular vein.

Ozcelik M, Guclu C, Meco B, Oztuna D, Kucuk A, Yalcin S, Alanoglu Z, Alkis N.

Paediatr Anaesth. 2016 Dec;26(12):1148-1156.

Epidemiology, Patterns of Care, and Mortality for Patients With Acute Respiratory Distress Syndrome in Intensive Care Units in 50 Countries.

Bellani G, Laffey JG, Pham T, Fan E, Brochard L, Esteban A, Gattinoni L, van Haren F, Larsson A, McAuley DF, Ranieri M, Rubenfeld G, Thompson BT, Wrigge H, Slutsky AS, Pesenti A; LUNG SAFE Investigators; ESICM Trials Group.

JAMA. 2016 Feb 23;315(8):788-800.

Postperfusion Syndrome in Cadaveric Liver Transplantations: A Retrospective Study.

Aydınlı B, Karadeniz Ü, Demir A, Güçlü ÇY, Kazancı D, Koçulu R, Haytural C, Özgök A, Bostancı EB, Zorlu A.

Turk J Anaesthesiol Reanim. 2016 Jun;44(3):128-33

Hematological predictors and clinical outcomes in cardiac surgery.

Aydınlı B, Demir A, Güçlü ÇY, Bölükbaşı D, Ünal EU, Koçulu R, Selçuk G.

J Anesth. 2016 Oct;30(5):770-8

Does Type of Pharyngeal Packing during Sinonasal Surgery Have an Effect on PONV and Throat Pain?

Meco BC, Ozcelik M, Yildirim Guclu C, Beton S, Islamoglu Y, Turgay A, Meco C, Batislam Y.

Otolaryngol Head Neck Surg. 2016 Apr;154(4):742-7.

10 cm H<sub>2</sub>O PEEP application in laparoscopic surgery and cerebral oxygenation: a comparative study with INVOS and FORESIGHT.

Kemerci PU, Demir A, Aydınli B, Güçlü ÇY, Karadeniz Ü, Çiçek ÖF, Taşoğlu İ, Özgök A. Surg Endosc. 2016 Mar;30(3):971-8.

Comparison of ProSeal laryngeal mask airway (PLMA) with cuffed and uncuffed endotracheal tubes in infants.

Ozden ES, Meco BC, Alanoglu Z, Alkıs N.

Bosn J Basic Med Sci. 2016 Nov 10;16(4):286-291.

Intraoperative transfusion practices in Europe.

Meier J, Filipescu D, Kozek-Langenecker S, Llau Pitarch J, Mallett S, Martus P, Matot I; ETPOS collaborators.

Br J Anaesth. 2016 Feb;116(2):255-61

Comparison of ProSeal laryngeal mask airway (PLMA) with cuffed and uncuffed endotracheal tubes in infants.

Ozden ES, Meco BC, Alanoglu Z, Alkıs N.

Bosn J Basic Med Sci. 2016 Nov 10;16(4):286-291.

Outcomes of Antepartum and Postpartum Obstetric Admissions to the Intensive Care Unit of A Tertiary University Hospital: An 8-Year Review.

Özçelik M, Turhan S, Bermede O, Yılmaz AA, Ünal N, Bayar MK.

Turk J Anaesthesiol Reanim. 2017 Oct;45(5):303-309.

Examination of Changes in Infection Rates in a Restructured Anaesthesia Intensive Care Unit: A Retrospective Study.

Deniz A, Erhan ÖL, Bayar MK, Karatepe Ü, Demirel İ.

Turk J Anaesthesiol Reanim. 2017 Dec;45(6):353-360.

Could Surgical Pulmonary Embolectomy Be Performed With Acceptable Outcomes Without a Pulmonary Embolism Response Team?

Ozcinar E, Erol S, Aliyev A, Cakici M, Baran C, Bermede O.

Ann Thorac Surg. 2017 Oct;104(4):1432.

Maintenance of balance between airway pressure and intracranial pressure in a patient with tracheal stenosis undergoing craniotomy: a case report.

Güçlü ÇY, Meço BC, Karamustafa M, Keçik Y.

Braz J Anesthesiol. 2017 Jan - Feb;67(1):92-94.

Incidence of severe critical events in paediatric anaesthesia (APRICOT): a prospective multicentre observational study in 261 hospitals in Europe.

Habre W, Disma N, Virag K, Becke K, Hansen TG, Jöhr M, Leva B, Morton NS, Vermeulen PM, Zielinska M, Boda K, Veyckemans F; APRICOT Group of the European Society of Anaesthesiology Clinical Trial Network.

Lancet Respir Med. 2017 May;5(5):412-425.

A retrospective cohort analysis of percutaneous versus side-graft perfusion techniques for veno-arterial extracorporeal membrane oxygenation in patients with refractory cardiogenic shock.

Cakici M, Ozcinar E, Baran C, Bermede AO, Saricaoglu MC, Inan MB, Durdu MS, Aral A, Sirlak M, Akar AR.

Perfusion. 2017 Jul;32(5):363-371.

Controlled flow diversion in hybrid venoarterial-venous extracorporeal membrane oxygenation.

Cakici M, Gumus F, Ozcinar E, Baran C, Bermede O, Inan MB, Durdu MS, Sirlak M, Akar AR.

Interact Cardiovasc Thorac Surg. 2018 Jan 1;26(1):112-118.

Balloon dilatation in esophageal strictures in epidermolysis bullosa and the role of anesthesia.

Gollu G, Ergun E, Ates U, Can OS, Dindar H.

Dis Esophagus. 2017 Feb 1;30(3):1-6. doi: 10.1111/dote.12503.

The effect of intra-articular levobupivacaine on shoulder cartilage at different doses- experimental study].

Özcan MS, Kalem M, Özçelik M, Şahin E, Çakar S, Hayırlı N, Evirgen O, Ökten F.

Rev Bras Anesthesiol. 2017 Jan - Feb;67(1):42-49.

Extended left hepatectomy for intrahepatic cholangiocarcinoma: hepatic vein reconstruction with in-situ hypothermic perfusion and extracorporeal membrane oxygenation.

Balci D, Ozcelik M, Kirimker EO, Cetinkaya A, Ustuner E, Cakici M, Inan B, Alanoglu Z, Bilgic S, Akar AR.

BMC Surg. 2018 Jan 31;18(1):7.

Epidemiology of sepsis in intensive care units in Turkey: a multicenter, point-prevalence study.

Baykara N, Akalın H, Arslantaş MK, Hancı V, Çağlayan Ç, Kahveci F, Demirağ K, Baydemir C, Ünal N; Sepsis Study Group.

Crit Care. 2018 Apr 16;22(1):93. doi: 10.1186/s13054-018-2013-1.

The Effects of Bougie Diameters on Tissue Oxygen Levels After Sleeve Gastrectomy: A Randomized Experimental Trial.

Konca C, Yılmaz AA, Çelik SU, Kayılıoğlu SI, Paşaoğlu ÖT, Ceylan HA, Genç V.

Balkan Med J. 2018 Feb 20. doi: 10.4274/balkanmedj.2017.0484. [Epub ahead of print]

Bipolar Energy Instruments in Laparoscopic Uterine Cancer Surgery: A Randomized Study.

Taşkın S, Şükür YE, Altın D, Turgay B, Varlı B, Baytaş V, Ortaç F.

J Laparoendosc Adv Surg Tech A. 2018 Jan 11. doi: 10.1089/lap.2017.0639. [Epub ahead of print]

Short term results of the laparoscopic sleeve gastrectomy procedure in children.

Ates U, Ergun E, Gollu G, Sozduyar S, Selvi Can O, Yagmurlu A.

Pediatr Int. 2018 Mar 3. doi: 10.1111/ped.13545. [Epub ahead of print]

Correction to: Potentially modifiable factors contributing to outcome from acute respiratory distress syndrome: the LUNG SAFE study.

Laffey JG, Bellani G, Pham T, Fan E, Madotto F, Bajwa EK, Brochard L, Clarkson K,

Esteban A, Gattinoni L, van Haren F, Heunks LM, Kurahashi K, Laake JH, Larsson A,

McAuley DF, McNamee L, Nin N, Qiu H, Ranieri M, Rubenfeld GD, Thompson BT, Wrigge

H, Slutsky AS, Pesenti A; LUNG SAFE Investigators; ESICM Trials Group.

Intensive Care Med. 2018 Jan;44(1):157-165. doi: 10.1007/s00134-017-4981-z.

Use of ultrasonography as a noninvasive decisive tool to determine the accurate endotracheal tube size in anesthetized children.

Gollu G, Onat Bermede A, Khanmammadov F, Ates U, Genc S, Selvi Can O, Fitoz S, Alanoglu Z, Yagmurlu A.

Arch Argent Pediatr. 2018 Jun 1;116(3):172-178.

Noninvasive Ventilation of Patients with Acute Respiratory Distress Syndrome. Insights from the LUNG SAFE Study.

Bellani G, Laffey JG, Pham T, Madotto F, Fan E, Brochard L, Esteban A, Gattinoni L, Bumbasirevic V, Piquilloud L, van Haren F, Larsson A, McAuley DF, Bauer PR, Arabi YM, Ranieri M, Antonelli M, Rubenfeld GD, Thompson BT, Wrigge H, Slutsky AS, Pesenti A; LUNG SAFE Investigators; ESICM Trials Group.

Am J Respir Crit Care Med. 2017 Jan 1;195(1):67-77. doi: 10.1164/rccm.201606-1306OC

International Nosocomial Infection Control Consortium report, data summary of 50 countries for 2010-2015: Device-associated module.

Rosenthal VD, Al-Abdely HM, El-Kholy AA, AlKhawaja SAA, Leblebicioglu H, Mehta Y, Rai V, Hung NV, Kanj SS, Salama MF, Salgado-Yopez E, Elahi N, Morfin Otero R, Apisarnthanarak A, De Carvalho BM, Ider BE, Fisher D, Buenaflor MCSG, Petrov MM, Quesada-Mora AM, Zand F, Gurskis V, Anguseva T, Ikram A, Aguilar de Moros D, Duszynska W, Mejia N, Horhat FG, Belskiy V, Mioljevic V, Di Silvestre G, Furova K, Ramos-Ortiz GY, Gamar Elanbya MO, Satari HI, Gupta U, Dendane T, Raka L, Guanche-Garcell H, Hu B, Padgett D, Jayatilleke K, Ben Jaballah N, Apostolopoulou E, Prudencio Leon WE, Sepulveda-Chavez A, Telechea HM, Trotter A, Alvarez-Moreno C, Kushner-Davalos L; Remaining authors.

Am J Infect Control. 2016 Dec 1;44(12):1495-1504. doi: 10.1016/j.ajic.2016.08.007

Resolved versus confirmed ARDS after 24 h: insights from the LUNG SAFE study.

Madotto F, Pham T, Bellani G, Bos LD, Simonis FD, Fan E, Artigas A, Brochard L, Schultz MJ, Laffey JG; LUNG SAFE Investigators and the ESICM Trials Group.

Intensive Care Med. 2018 Apr 9. doi: 10.1007/s00134-018-5152-6. [Epub ahead of print]